

AMENDED

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office MAR 27 1991

Returned to applicant for correction MAY 09 1991

Corrected application filed JUN 03 1991

Map filed JUN 03 1991

The applicant Boyd Tracy and Kari D. Eliason and Pascal R. Metz

5833 Rowland Ave

Street and No. or P.O. Box No.

Las Vegas

City or Town

Nevada 89130

State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.05 C.F.S. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks") 4 Home sites

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point Within the NW¼ SW¼ Section 25,
Describe as being within a 40-acre subdivision of public

T.19S., R.60E. M.D.B.&M. or at a point from which the W¼ corner of said section
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

25, T.19S., R.60E. M.D.B.&M. Bears S 25° 45' 00" E A distance of 1248.00 Feet

6. Place of use Within the NW¼ SW¼ Section 25, Township 19 South, Range 60 East
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

M.D.M.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" well casing 400' depth thru plastic
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pipe service lines
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works 20,000.00

10. Estimated time required to construct works 2 years Existing 8" well casing 400' deep
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 4 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

4 home sites

Compared bc/bc am/se

By s/Richard L. Hafen Agent
Richard L. Hafen AGENT
2383 Gateway Rd.
Las Vegas, Nevada 89115

Protested _____

APPROVAL

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 30, 1993

Proof of completion of work shall be filed on or before October 30, 1993

Application of water to beneficial use shall be made on or before September 30, 1996

Proof of the application of water to beneficial use shall be filed on or before October 30, 1996

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed NOV 23 1993

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 30th day of September,

A.D. 19 91


 State Engineer

(O)-5314 (Rev.)

CANCELLED DEC 13 2000 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Turnipseed, P.E. STATE ENGINEER
 reinstated 10-24-01 mg